Molecular and Cellular Biochemistry **244:** 187–190, 2003.

Index to Volume 244

Adams VR, *see* Bence AK *et al*
Almada A, *see* Greenwood M *et al*
Almada A, *see* Kreider RB *et al*
Aoyagi K, Kuzure Y, Shahrzad S, Hirayama A, Nagase S and Ueda A: Inhibition by heparin of protein kinase C activation and hydroxyl radical generation in puromycin aminonucleoside treated isolated rat hepatocytes 3–9
Aoyagi K: Inhibition of arginine synthesis by urea: A mechanism for arginine deficiency in renal failure which leads to increased hydroxyl radical generation 11–15
Aoyagi K, *see* Hirayama A *et al*
Aoyagi K, *see* Nagase S *et al*
Ayers CR, *see* Rembold CM

Ball WS, *see* deGrauw TJ *et al*
Bence AK, Adams VR and Crooks PA: L-Canavanine as a radiosensitization agent for human pancreatic cancer cells 37–43
Bjelakovic G, *see* Nikolic J *et al*
Bocsi J, *see* Trézl L *et al*
Boero J, Qin W, Cheng J, Woolsey TA, Strauss AW and Khuchua Z: Restricted neuronal expression of ubiquitous mitochondrial creatine kinase: Changing patterns in development and with increased activity 69–76
Brose A, *see* Tarnopolsky M *et al*
Byars AW, *see* deGrauw TJ *et al*

Cameron-Smith D, *see* Murphy RM *et al*
Campbell E, *see* Wheatley DN *et al*
Cantler E, *see* Greenwood M *et al*
Cantler E, *see* Kreider RB *et al*
Cecil KM, *see* deGrauw TJ *et al*
Chance B, *see* Kurosawa Y *et al*
Cheng J, *see* Boero J *et al*
Clark JF: Preface 1
Clark JF, *see* Nakayama S:
Cohen BD: Methyl group deficiency and guanidino production in Uremia 31–36
Crooks PA, *see* Bence AK *et al*

deGrauw TJ, Cecil KM, Byars AW, Salomons GS, Ball WS and Jakobs C: The clinical syndrome of creatine transporter deficiency 45–48
Derave W, Eijnde BO and Hespel P: Creatine supplementation in health and disease: What is the evidence for long-term efficacy? 49–55

Eijnde BO, *see* Derave W *et al*

Fu M-H, *see* Tarnopolsky M *et al*

Greenwood M, Kreider RB, Melton C, Rasmussen C, Lancaster S, Cantler E, Milnor P and Almada A: Creatine supplementation during college football training does not increase the incidence of cramping or injury 83–88
Greenwood M, *see* Kreider RB *et al*

Hamaoka T, *see* Kurosawa Y *et al*
Hargreaves M, *see* Murphy RM *et al*
Hespel P, *see* Derave W *et al*
Hiramatsu M: A role for guanidino compounds in the brain 57–62
Hirayama A, Nagase S, Ueda A, Yoh K, Oteki T, Obara M, Takada K, Shimozawa Y, Aoyagi K and Koyama A: Electron paramagnetic resonance imaging of nitric oxide organ distribution in lipopolysuccaride treated mice 63–67

Hirayama A, *see* Aoyagi K *et al*
Hirayama A, *see* Nagase S *et al*
Hirayama A, *see* Ueda A *et al*
Hullán L, *see* Trézl L *et al*

Imamura K, *see* Ogimoto G *et al*
Ishii Y, *see* Komurai M *et al*
Iwasaka H, *see* Kitano T *et al*

Jakobs C, *see* deGrauw TJ *et al*
Jászay ZM, *see* Trézl L *et al*

Kamada H, *see* Ueda A *et al*
Katsumura T, *see* Kurosawa Y *et al*
Khuchua Z, *see* Boero J *et al*
Kikuchi S, *see* Nagase S *et al*
Kimura K, *see* Komurai M *et al*
Kimura K, *see* Ogimoto G *et al*
Kimura N, *see* Kurosawa Y *et al*
Kitano T, Nisimaru N, Shibata E, Iwasaka H, Noguchi T and Yokoi I: Monocarboxylates and glucose utilization as energy substrates in rat brain slices under selective glial poisoning – a ^{31}P NMR study 77–81
Komurai M, Ishii Y, Matsuoka F, Toyama K, Ominato M, Sato T, Maeba T, Kimura K and Owada S: Role of nitric oxide synthase activity in experimental ischemic acute renal failure in rats 129–133
Koyama A, *see* Hirayama A *et al*
Koyama A, *see* Nagase S *et al*
Koyama A, *see* Ueda A *et al*
Kreider RB: Effects of creatine supplementation on performance and training adaptations 89–94
Kreider RB, Melton C, Rasmussen CJ, Greenwood M, Lancaster S, Cantler EC, Milnor P and Almada AL: Long-term creatine supplementation does not significantly affect clinical markers of health in athletes 95–104
Kreider RB, *see* Greenwood M *et al*
Kuboshima S, *see* Ogimoto G *et al*
Kurosawa Y, Hamaoka T, Katsumura T, Kuwamori M, Kimura N, Sako T and Chance B: Creatine supplementation enhances anaerobic ATP synthesis during a single 10 sec maximal handgrip exercise 105–122
Kuwamori M, *see* Kurosawa Y *et al*
Kuzure Y, *see* Aoyagi K *et al*

Lancaster S, *see* Greenwood M *et al*
Lancaster S, *see* Kreider RB *et al*

Maeba T, *see* Komurai M *et al*
Maeba T, *see* Ogimoto G *et al*
Matsuoka F, *see* Komurai M *et al*
McKenna MJ, *see* Murphy RM *et al*
Mehan KA, *see* Murphy RM *et al*
Melton C, *see* Greenwood M *et al*
Melton C, *see* Kreider RB *et al*
Milnor P, *see* Greenwood M *et al*
Milnor P, *see* Kreider RB *et al*
Murphy RM, Tunstall RJ, Mehan KA, Cameron-Smith D, McKenna MJ, Spriet LL, Hargreaves M and Snow RJ: Human skeletal muscle creatine transporter mRNA and protein expression in healthy, young males and females 151–157

Nagase S, Suzuki H, Wang Y, Kikuchi S, Hirayama A, Ueda A, Takada K, Oteki T, Obara M, Aoyagi K and Koyama A: Association of ecNOS gene polymorphisms with end stage renal diseases 113–118
Nagase S, *see* Aoyagi K *et al*
Nagase S, *see* Hirayama A *et al*
Nagase S, *see* Ueda A *et al*
Nakayama S and Clark JF: Smooth muscle and NMR review: An overview of smooth muscle metabolism 17–30
Nikolic J, Bjelakovic G and Stojanovic I: Effect of caffeine on metabolism of L-arginine in the brain 125–128

Nisimaru N, *see* Kitano T *et al*
Noda H, *see* Ueda A *et al*
Noguchi T, *see* Kitano T *et al*

Obara M, *see* Hirayama A *et al*
Obara M, *see* Nagase S *et al*
Ogimoto G, Sakurada T, Imamura K, Kuboshima S, Maeba T, Kimura K and Owada S: Alteration of energy production by the heart in CRF patients undergoing peritoneal dialysis 135–138
Ohya H, *see* Ueda A *et al*
Ominato M, *see* Komurai M *et al*
Oteki T, *see* Hirayama A *et al*
Oteki T, *see* Nagase S *et al*
Owada S, *see* Komurai M *et al*
Owada S, *see* Ogimoto G *et al*

Parise G, *see* Tarnopolsky M *et al*
Parshad A, *see* Tarnopolsky M *et al*
Petneházy I, *see* Trézl L *et al*
Philip R, *see* Wheatley DN *et al*

Qin W, *see* Boero J *et al*

Rasmussen C, *see* Greenwood M *et al*
Rasmussen C, *see* Kreider RB *et al*
Rembold CM and Ayers CR: Oral L-arginine can reverse digital necrosis in Raynaud's phenomenon 139–141

Sako T, *see* Kurosawa Y *et al*
Sakurada T, *see* Ogimoto G *et al*
Salomons GS, *see* deGrauw TJ *et al*
Sato T, *see* Komurai M *et al*
Schulze A: Creatine deficiency syndromes 143–150
Shahrzad S, *see* Aoyagi K *et al*
Shibata E, *see* Kitano T *et al*
Shimozawa Y, *see* Hirayama A *et al*
Snow RJ, *see* Murphy RM *et al*
Speer O, *see* Tarnopolsky M *et al*
Spriet LL, *see* Murphy RM *et al*
Stojanovic I, *see* Nikolic J *et al*
Strauss AW, *see* Boero J *et al*
Suzuki H, *see* Nagase S *et al*
Szarvas T, *see* Trézl L *et al*
Szende B, *see* Trézl L *et al*

Tada M, *see* Ueda A *et al*
Takada K, *see* Hirayama A *et al*
Takada K, *see* Nagase S *et al*
Takáts Z, *see* Trézl L *et al*
Tarnopolsky M, Parise G, Fu M-H, Brose A, Parshad A, Speer O and Wallimann T: Acute and moderate-term creatine monohydrate supplementation does not affect creatine transporter mRNA or protein content in either young or elderly humans 159–166
Töke L, *see* Trézl L *et al*
Toyama K, *see* Komurai M *et al*
Trézl L, Hullán L, Jászay ZM, Szarvas T, Petneházy I, Szende B, Bocsi J, Takáts Z, Vékey K and Töke L: Antagonistic reactions of arginine and lysine against formaldehyde and their relation to cell proliferation, apoptosis, folate cycle and photosynthesis 167–176
Tunstall RJ, *see* Murphy RM *et al*

Ueda A, Nagase S, Yokoyama H, Tada M, Noda H, Ohya H, Kamada H, Hirayama A and Koyama A: Importance of renal mitochondria in the reduction of TEMPOL, a nitroxide radical 119–124
Ueda A, *see* Aoyagi K *et al*

Ueda A, *see* Hirayama A *et al*
Ueda A, *see* Nagase S *et al*

Vékey K, *see* Trézl L *et al*

Wallimann T, *see* Tarnopolsky M *et al*
Wang Y, *see* Nagase S *et al*
Wheatley DN, Philip R and Campbell E: Arginine deprivation and tumour cell death: Arginase and its inhibition 177–185
Woolsey TA, *see* Boero J *et al*

Yoh K, *see* Hirayama A *et al*
Yokoi I, *see* Kitano T *et al*
Yokoyama H, *see* Ueda A *et al*